



# GOODYEAR

LUBRICANTS

**FREEDOM**  
TO GO FURTHER





Get to know the brand  
that's devoted to  
driving excellence

The Goodyear Tire & Rubber Company started in 1898 producing bicycle and carriage tires. From that first bicycle tire, Goodyear quickly grew to become the world's largest tire company, a title it earned in 1916 when it adopted the slogan more people ride on Goodyear tires than on any other kind.

Goodyear's winged foot trademark was inspired by a newel post statue of the famous God of mythology known to the ancient Romans as Mercury. Mr. Seiberling's attention was attracted to the statue, and he felt that the god it portrayed embodied many of the characteristics for which Goodyear products were known.

Goodyear is one of the world's largest tire companies. It employs approximately 63,000 people and manufactures its products in 46 facilities in 21 countries around the world. Its two Innovation Centers in Akron, Ohio and Colmar-Berg, Luxembourg strive to develop state-of-the-art products and services that set the technology and performance standard for the industry. At the brand's core is its culture of innovation. Goodyear innovation continues to enable technology-driven firsts and inspires people not only to discover possibilities but also gives them the freedom to do more.

Goodyear has facilities across the world and annual sales of more than \$ 15 billion.

Goodyear has turned into an iconic brand as the values of innovation, durability, reliability and performance can be easily transferred into many different product categories; automobile equipments, spare parts & products.





# History

1898

Goodyear is founded by Frank A. Seiberling and enters its first home: a strawboard factory on the banks of the Little Cuyahoga River in East Akron, Ohio, USA. The company is named in honour of Charles Goodyear, who discovered the rubber vulcanization process in 1839. The company makes horseshoe pads, bicycle and carriage tyres, sealing rings for canning, fire hose and even rubber poker chips.

1908

Henry Ford's Model T, fitted with Goodyear tires, is a sensation with middle class consumers.

1942

Goodyear makes a name for itself in aviation.

1964

Using Goodyear tires, Craig Breedlove becomes the first man to top 600 miles (960km) an hour.

1971

Goodyear put the first tire on the moon by equipping the Apollo 14 Modular Equipment Transporter or moon buggy with specially designed tires.

1985

Goodyear supplies the first radial tires for commercial aircraft.

1993

Goodyear introduces the Aquatred tire, offering a revolutionary design which delivers high performance traction in both wet and dry conditions.

1997

Goodyear is first to win 350 F1 Grand Prix races.



1998

Goodyear celebrates its 100th anniversary.

2003

Goodyear stands at the pinnacle of drag racing, winning the most championships in both the professional and sportsman categories in the National Hot Rod and International Hot Rod Association Competitions.

2004

Goodyear and NASCAR celebrate their 50th anniversary together, Goodyear is the longest-running sponsor of the sport.

2009

Goodyear and NASA invent "Spring Tire" for moon - an energy efficient tire that would not go flat.

2010

Goodyear Asia Pacific begins introducing the company's proprietary Fuel Saving Technology into new tires, letting drivers go further for less and reduce emissions.

2012

Goodyear discovers that using soyabean oil in tires can potentially increase tread life by 10 percent and reduce the use of petroleum-based oil in the manufacturing process.

2014

Goodyear announces plans to convert waste from rice harvest to fuel-efficient tire treads.

2017

Goodyear is named by Fortune Magazine as the "World's Most Admired Tire Maker". Today Goodyear is one of the largest tire companies, with operations in most regions of the world.





**A Truly Iconic Brand**

# Discover your world of Possibilities



Goodyear is the brand for people who believe in the wonder of opportunity and want to get things moving. The brand delivers the highest quality, innovative products that inspire you to do more. As well as sharing common goals with a commitment to quality, Goodyear also shares strong values of integrity. The brand cares for both our environment and communities. We have been committed to driving, moving and inspiring people for ever 100 years, and will do for many more to come.



1956

Goodyear takes to the track with our first full line of stock car racing tires.



1983

Goodyear announces development of radial tires for aircraft.



## Future Challenges

Goodyear in collaboration with NASA Glenn Research Centre (GRC), develop non-pneumatic tires for use first on the moon, and eventually on Mars.

1971

The first tire on the moon is supplied by Goodyear for Apollo 14.



The Spring Tire is the result of a collaboration between NASA and Goodyear, the new airless tire is being proposed as an upgrade to the wire mesh tires used on the Apollo Lunar Roving Vehicle. Each hand-made Spring Tire uses 800 load-bearing springs, which provide stiffness and flexibility, as well as puncture-proof toughness.





# GOOD YEAR

Yesterday...  
Even Truer Today

GOOD YEAR



**First choice for safety**

on the moon and on the earth

GoodYear® G2 tires grip the moon, land and get you safely to the moon from landing.

GoodYear's engineering safety has helped to make it the world's safest tire company. The first choice of NASA for space. It's the same reason you'll find GoodYear® tires on the moon.

GOOD YEAR

**GOOD YEAR**

**RANKED #1** IN CUSTOMER SATISFACTION AMONG SMALL CARS IN ORIGINAL EQUIPMENT TIRE BY J.D. POWER\*

★★★★★ **SCORE 88** (2014) (Small Car)

★★★★★ **SCORE 88** (2013) (Small Car)

GOOD YEAR

**SINCE 1890**  
**GOOD YEAR**  
**120 YEARS OF INNOVATION** | **Freedom To Move**

- First truck tire
- First industrial tire
- First to win 100 FT. Road to Rome
- Innovative use of nitrogen-filled tires
- First single 900 urban concept tires

GOOD YEAR

**EVERYTHING A TIRE CAN DO...  
Super cushion DOES BETTER!**

GOOD YEAR

**GOOD YEAR**

GOOD YEAR



# Original Equipment

The world's leading car manufacturers trust Goodyear tires for their own models and to carry their brand.

At Goodyear, we work closely with the world's leading car manufacturers in the development of new models, matchmaking tires and vehicles during the development process with performance attributes that bring out the best in both.

From high-performance tires that grace the rims of the latest generation of supercars to economy-minded tires that deliver fuel savings for a family sedan, our OEM (original equipment manufacturer) agreements mean more new cars are using Goodyear tires from the factory, to the showroom, to the road.

Goodyear tires are frequently chosen by BMW, Audi, Mercedes, Rolls Royce, Land Rover, Nissan, Ferrari, Maserati, Alfa Romeo, Fiat, Peugeot, Ford, Opel, Renault, Saab, Chrysler, Toyota, Skoda, Seat and More.



## Goodyear as a Leader in Tractor Tires

Goodyear manufactures automotive-bias tyres such as farm tyres and medium commercial truck tyres at its world class manufacturing facilities. It also trades in the 'Goodyear' branded tyres including radial passenger and off-the-road (OTR)-bias tyres manufactured by Goodyear

In the farm segment, in India, Goodyear tyres are supplied to all the major tractor companies. In 2010/11, Goodyear India was awarded the Superbrand status.



# GOODYEAR



# YEAR

## LUBRICANTS





With Goodyear you get the benefit of more than 120 years of global experience and technical innovation to meet your lubricants needs.

Goodyear has developed a wide range of engine oil, gear oils, hydraulic oils greases and specialities oil for Bikes, Scooters, Cars, Light and Heavy Commercial Vehicles & Tractors. Blended with our advanced additive technologies, every product is designed to enhance performance, reliability and longevity for your use.

## MotorBike / Scooter Engine Oil

Goodyear **4T Motor Bike Engine oil** is designed to provide ultimate protection and performance for all new generation motorbikes specially higher capacity. These engines are required to deliver high power, torque and require oil performance reliability under arduous conditions. This oil is designed for bikers who are passionate about their bikes and look forward to an exhilarating riding experience. Specifically designed to lubricate a wide range of Engines - 4 stroke Motor Bikes, Gearless Scooter & Motor Bikes, Requiring API & Jaso standards.



Motor Cycle Oil	Available Sku's (litre)			
SPRINTMAX XT 10000 4S 10W-30 SN+	0.8	-	-	-
SPRINTMAX XT 10000 4T 10W-30 SN+	0.9	1	55	210
SPRINTMAX XT 10000 4T 10W-40 SN+	1	-	-	-
SPRINTMAX XT 10000 4T 20W-40 SN+	0.9	1	55	210
SPRINTMAX XT 10000 4T 15W-50 SN+	2.5	55	210	-
SPRINTMAX XT 5000 4T 20W-40 SM	0.9	1	55	210
SPRINTMAX XT 5000 4T 20W-50 SM	1	1.2	55	210
SPRINTMAX XT 1000 4T 20W-40 SL	0.9	1	55	210
SPRINTMAX PERFORMANCE DRIVE 2T 2STROKE TC	0.5 <sub>Pouch</sub>	1	-	-
SPRINTMAX PERFORMANCE DRIVE 4T PRO+ 20W-40 SJ	0.9 <sub>Pouch</sub>	1 <sub>Pouch</sub>	55	210

## Car / Suv / Muv Engine Oil

Goodyear passenger car motor oil is specially developed for high power diesel and petrol engines (naturally aspirated as well as turbo-charged) of Cars, SUVs, MUVs & cross-overs. Formulation from high quality base oils and usage of advanced additive technology enables this to withstand high operating temperatures of these engines and control deposit formation on engine parts, thus providing maximum power and superior engine protection in all types of driving conditions.



## Tractor Engine Oil

Goodyear Tractor Engine oil is multigrade diesel engine oil for new generation turbocharged diesel engine in tractors. It is formulated with proven multifunctional additives to provide Maximum Engine Power for Best Tractor Performance under various application and operating conditions.



Passenger Car Motor Oils (PCMO)	Available Sku's (litre)						
XTREME POWER RACING FX 5000 20W-50 SM/CH	3	4	-	-	-	-	-
XTREME POWER RACING DUO FX 5000 15W-40 SM/CH	3.5	4	-	-	-	-	-
XTREME POWER RACING FX 8000 5W-30 SM+	3	3.5	4	4.5	210	-	-
XTREME POWER RACING FX 10000E 5W-40 SP	1	3.5	4	210	-	-	-
XTREME POWER RACING FX 10000E 0W-20 SP	3.5	4	210	-	-	-	-
XTREME POWER RACING FX 10000 5W-30 SP	1	3	3.5	4	55	210	-

Diesel Engine Oil	Available Sku's (litre)	
ULTRA EXCELLENCE POWER HD 3000 20W-40 CH4	7.5	8.5
ULTRA EXCELLENCE POWER HD 5000 PRO+ 15W-40 CF4	7.5	-
ULTRA EXCELLENCE POWER HD 8000 15W-40 CH4	7.5	8.5
ULTRA EXCELLENCE POWER HD10000 15W-40 CI4+	7.5	-





## Truck / Bus Engine Oil

Goodyear All Turbo is an extra high-performance heavy duty diesel engine oil specifically developed for low emission vehicles to extend engine life in trucks and buses and off-highway applications such as tippers

It provides outstanding soot handling capability and excellent TBN retention helps in countering harmful effects of high temperatures and corrosive exhaust gases of those employing Exhaust Gas Recirculation (EGR) systems, thus extending oil and engine life.



## Universal Tractor Transmission Oil

Goodyear Universal Tractor Transmission Oil is a high performance lube oil specially formulated with robust anti-wear & extreme pressure additives for use in Tractors and Off-road construction and mining equipment where a common lubricant reservoir serves transmissions, final drives & hydraulic systems and requires transmission fluid.



Diesel Engine Oil	Available Sku's (litre)				
AGRIPRO UTTO UNIVERSAL TRACTOR TRANSMISSION OIL	5	10	20	50	210

Diesel Engine Oil	Available Sku's (litre)										
ULTRA EXCELLENCE POWER PRO+ 20W-40 CD	1.2 <sub>Pouch</sub>	3.5	55	210	-	-	-	-	-	-	-
ULTRA EXCELLENCE POWER 1000 PRO+ 20W-40 CF4	7.5	10	55	210	-	-	-	-	-	-	-
ULTRA EXCELLENCE POWER HD 3000 20W-40 CH4	1	6	7.5	8.5	10	20	55	210	-	-	-
ULTRA EXCELLENCE POWER HD 5000 PRO+ 15W-40 API CF4	1 <sub>Pouch</sub>	3	7.5	-	-	-	-	-	-	-	-
ULTRA EXCELLENCE POWER HD 8000 15W-40 CH4	1	3	5	6	7	7.5	8.5	10	15	55	210
ULTRA EXCELLENCE POWER HD10000 15W-40 CI4+	3	7	7.5	11	18	55	210	-	-	-	-
ULTRA EXCELLENCE POWER HD10000FE 10W40 CK4	1	5	7.5	15	21	210	-	-	-	-	-





## Diesel Exhaust Fluid

Goodyear DEF is premium Diesel Exhaust Fluid (DEF) formulated with 32.5% purified urea and 67.5% ultra pure deionized water. It is engineered for use in modern diesel engines with Selective Catalytic Reduction (SCR) technology to significantly reduce nitrogen oxide (NOx) content in diesel engine exhaust streams.

D.E.F	Available Sku's (litre)		
GO BLUE PLUS DEF DIESEL EXHAUST FLUID ( AUS 32)	5	20	210



## Gear Oil

Goodyear Gear Oil is a high performance gear lubricant designed to provide effective lubrication in a wide range of automotive transmissions and axle drives where API GL-4 quality oils are specified. It is formulated from high quality base stocks and balanced extreme pressure additives to provide protection to gear components against wear and scoring. It offers protection against oxidation degradation rust & corrosion.



GEAR OIL	Available Sku's (litre)						
ULTRA PERFORMANCE MAX GEAR OIL EP-90 GL4	0.5 <sup>Pouch</sup>	1	5	20	26	55	210
ULTRA PERFORMANCE MAX GEAR OIL EP-140 GL4	1	5	26	210	-	-	-
ULTRA PERFORMANCE SUPREME GEAR OIL 75W90 - GL5	2.5	55	210	-	-	-	-
ULTRA PERFORMANCE SUPREME GEAR OIL 80W90 - GL5	1	2.5	5	7	20	55	210
ULTRA PERFORMANCE SUPREME GEAR OIL 85W140 - GL5	1	5	12	20	55	210	-



## Hydraulic Oil

Goodyear Hydraulic Oil series of high performance hydraulic oils have been developed to operate under moderate to severe conditions across a wide range of automotive & industrial applications. They are well known to protect, lubricate and perform in the most efficient and effective way to ensure smooth operation and long service life of the hydraulic systems.



HYDRAULIC OIL	Available Sku's (litre)			
ULTRA PERFORMANCE MAX TRANSMISSION OIL PLUS JCB/OTR	20	-	-	-
ULTRA PERFORMANCE MAX HYDRAULIC OIL 46	20	26	210	-
ULTRA PERFORMANCE MAX HYDRAULIC OIL 68	5	20	26	210
ULTRA PERFORMANCE MAX HYDRAULIC OIL 10W	26	210	-	-



## Automatic Transmission Fluid

Goodyear is an automatic transmission fluid developed for the automatic transmissions and power steering systems of vehicles. The highly refined base oils and proven performance additives used in this oil provide enhanced thermal stability, frictional characteristics and rust & corrosion protection.



Hydraulic Oil	Available Sku's (litre)	
ULTRA PERFORMANCE MAX ATF AUTOMATIC TRANSMISSION FLUID	1	210



## Greases


Goodyear Greases are heavy duty high performance lithium complex soap based extreme pressure (EP) grease specially developed automotive wheel bearing in all PCMO, heavy commercial vehicles and buses. It is manufactured from high quality lithium complex thickener, specially selected base oils and performance additives to provide good structural stability, resistance to water washout and effective protection from wear and corrosion.



### GREASES

### Available Sku's (gm/kg)

ULTRA PERFORMANCE PREMIUM GEL GREASE AP3 NLGI 2.5	0.5	1	2	3	5	7	10	18	180
ULTRA PERFORMANCE PREMIUM LONG RUN GREASE NLGI 3	0.5	1	2	5	10	18	180	-	-



## Coolant

Goodyear Coolant is a high performance radiator coolant and corrosion inhibitor developed for use in a wide range of radiators in a variety of applications. It is formulated with special inhibitors to provide excellent cooling of the engine components and effective corrosion protection of all engine and cooling system components and resists formation of deposits on heat transfer surface

COOLANTS	Available Sku's (litre)			
ULTRA PROTECT FAST COOL COOLANT READY TO USE	1	210	-	-
ULTRA PROTECT STAR COOL COOLANT	1	3	5	210
ULTRA PROTECT ALL SEASONS ANTIFREEZE COOLANT	1	210	-	-



## CNG Light Vehicle Engine Oil

Goodyear CNG LV series are gas engine oils intended for use in light-duty vehicles running on Compressed Natural Gas (CNG), Liquefied Petroleum Gas (LPG) or propane. It is formulated from selected additives to provide superior detergency and dispersancy, oxidation and nitration resistance and protection against engine wear and corrosion.



## CNG Car/Heavy Vehicle Engine Oil

Goodyear CNG HV Series is a high quality engine oil developed for cars, UVs, Heavy duty commercial vehicles powered by petrol, diesel, CNG or LPG engines. Its **anti-wear technology** offers good high temperature protection that minimises sludge build up thus reducing component wear.

CNG	Available Sku's (litre)								
GO GREEN ENERGY+ CNG 20W50 SG/CD	0.5 <sub>Pouch</sub>	1 <sub>Pouch</sub>	2	3	3.5	55	210	-	
GO GREEN ENERGY+ SUPREME CNG 15W40 SL/CF	1	3.5	5	7.5	10	15	55	210	



# BIKE AND SCOOTER RECOMMENDATION CHART



## TVS



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Flame DS 125	900 ML	125 CC	Fastrack 10W30 SN
Flame SR 125	900 ML	125 CC	Fastrack 10W30 SN
Jiva	900 ML	100 CC	Fastrack 10W30 SN
Max 125	900 ML	125 CC	Fastrack 10W30 SN
Max 100	900 ML	100 CC	Fastrack 10W30 SN
Max 4r	900 ML	100 CC	Fastrack 10W30 SN
Metro plus	900 ML	110 CC	Fastrack 10W30 SN
Metro	900 ML	100 CC	Fastrack 10W30 or 10W40 SN
Sport	900 ML	100 CC	Fastrack 10W30 SN
Star	900 ML	100 CC	Fastrack 10W30 SN
Phoenix b125	900 ML	125 CC	Fastrack 10W30 or 10W40 SN
Star city plus	900 ML	109 CC	Fastrack 10W30 SN
Star ix	900 ML	100 CC	Fastrack 10W30 SN
Victor gix	900 ML	110 CC	Fastrack 10W30 SN
Victor 125	900 ML	125 CC	Fastrack 10W30 SN
Victor gx	900 ML	110 CC	Fastrack 10W30 SN
Apache RTR 160	1000 ML	160 CC	Fastrack 10W30 or 10W40 SN
Apache RTR 180	1000 ML	180 CC	Fastrack 10W30 or 10W40 SN
Apache RTR 200 4V	1000 ML	200 CC	Fastrack 10W30 or 10W40 SN
Apache RTR 180 ABS	1000 ML	180 CC	Fastrack 10W30 or 10W40 SN
Apache 150	1000 ML	150 CC	Fastrack 10W30 or 10W40 SN
Fiero	1000 ML	150 CC	Fastrack 10W30 or 10W40 SN
Centra	1000 ML	100 CC	Fastrack 10W30 or 10W40 SN
Neo X31	800 ML	110 CC	Fastrack 10W30 SN
Rockz	800 ML	125 CC	Fastrack 10W30 SN
Scooty Pep	800 ML	88 CC	Fastrack 10W30 SN
Scooty Pep +	800 ML	88 CC	Fastrack 10W30 SN
Streak	800 ML	88 CC	Fastrack 10W30 SN
Tormax 150	800 ML	150 CC	Fastrack 10W30 SN
Scooty Zest	800 ML	110 CC	Fastrack 10W30 SN
WIGO	800 ML	110 CC	Fastrack 10W30 SN
Jupiter	800 ML	110 CC	Fastrack 10W30 SN



## HERO



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Achiver	900ML	150 CC	Fastrack 10W30 SN
Glamour	900ML	125CC	Fastrack 10W30 SN
Glamour FI	900ML	125CC	Fastrack 10W30 SN
HF Dawn	900ML	97 CC	Fastrack 10W30 SN
HF Deluxe Eco	900ML	97 CC	Fastrack 10W30 SN
HF Deluxe Eco	900ML	97 CC	Fastrack 10W30 SN
Hunk	900ML	150 CC	Fastrack 10W30 or 10W40 SN
Karizma	900ML	223 CC	Fastrack 10W30 or 10W40 SN
Karizma ZMR	900ML	223 CC	Fastrack 10W30 or 10W40 SN
Splendor	900ML	97 CC	Fastrack 10W30 SN
Splendor +	900ML	97 CC	Fastrack 10W30 SN
Splendor NXG	900ML	97 CC	Fastrack 10W30 SN
Super Splendor	900ML	125 CC	Fastrack 10W30 SN
Xtreme Sports	900ML	150 CC	Fastrack 10W30 or 10W40 SN
CBZ	900ML	100 CC	Fastrack 10W30 SN
Passion Plus	900ML	97 CC	Fastrack 10W30 SN
CD Dawn	900ML	97 CC	Fastrack 10W30 SN
CD Deluxe	900ML	97 CC	Fastrack 10W30 SN
Xtreme Sports	900ML	150 CC	Fastrack 10W30 SN
Ignitor	900ML	125 CC	Fastrack 10W30 SN
Impulse	900ML	150 CC	Fastrack 10W30 SN
Splendor smart	900ML	97 CC	Fastrack 10W30 SN
Splendor Pro classic	900ML	97 CC	Fastrack 10W30 SN
Passion Pro	900ML	97 CC	Fastrack 10W30 SN
Passion Pro TR	900ML	97 CC	Fastrack 10W30 SN
Passion XPRO	900ML	109 CC	Fastrack 10W30 SN
Glamour Programmed FI	900ML	125 CC	Fastrack 10W30 SN
Ismart 110	900ML	109 CC	Fastrack 10W30 SN
Splendor Pro	900ML	97 CC	Fastrack 10W30 SN
Maestro	800ML	109 CC	Fastrack 10W30 SN
Maestro EDGE	800ML	110 CC	Fastrack 10W30 SN
DUET	800ML	110 CC	Fastrack 10W30 SN
Pleasure	800ML	102 CC	Fastrack 10W30 SN



## BAJAJ



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Boxer	1000 ML	150 CC	Fastrack 10W30 SN
Calliber 115	1000 ML	115 CC	Fastrack 10W30 SN
CT 100	1000 ML	100 CC	Fastrack 10W30 SN
Discover 100	1000 ML	100 CC	Fastrack 10W30 SN
Discover 125	1000 ML	125 CC	Fastrack 10W30 SN
Discover 125 st	1000 ML	125 CC	Fastrack 10W30 SN
Eliminator	1000 ML	175 CC	Fastrack 10W30 SN
Platina 100	900 ML	100 CC	Fastrack 10W30 SN
Platina 125	1000 ML	125 CC	Fastrack 10W30 SN
XCD 1215	1000 ML	125 CC	Fastrack 10W30 SN
XCD 125 DTSI	1000 ML	125 CC	Fastrack 10W30 SN
XCD 135	1000 ML	135 CC	Fastrack 10W30 SN
Avenger 150	1000 ML	150 CC	Fastrack 10W30 SN
Avenger 220	1000 ML	220 CC	Fastrack 10W30 or 10W40 SN
Discover 150	1000 ML	150 CC	Fastrack 10W30 or 10W40 SN
KTM Duke	1400 ML	200 CC	Fastrack 10W30 or 10W40 SN
Ninja 250	1700 ML	250 CC	Fastrack 10W30 or 10W40 SN
Ninja 300	1700 ML	300 CC	Fastrack 10W30 or 10W40 SN
Ninja 650r	1700 ML	690 CC	Fastrack 10W30 or 10W40 SN
Pulsar 135 LS	1700 ML	135 CC	Fastrack 10W30 or 10W40 SN
Pulsar 150DTSI	1000 ML	150 CC	Fastrack 10W30 or 10W40 SN
Pulsar 180DTSI	1000 ML	180 CC	Fastrack 10W30 or 10W40 SN
Pulsar 200 NS	1200 ML	200 CC	Fastrack 10W30 or 10W40 SN
Pulsar 220 f	1150 ML	220 CC	Fastrack 10W30 or 10W40 SN
KTM DUKE 200	1150 ML	200 CC	Fastrack 10W30 or 10W40 SN
KTM DUKE 350	2500 ML	350 CC	Fastrack 10W30 or 10W40 SN
Pulsar 135	1000 ML	135 CC	Fastrack 10W30 or 10W40 SN
Pulsar 150	1000 ML	150 CC	Fastrack 10W30 or 10W40 SN
Pulsar 180	1000 ML	180 CC	Fastrack 10W30 or 10W40 SN
Pulsar 200	1000 ML	200 CC	Fastrack 10W30 or 10W40 SN
Pulsar 220	1000 ML	220 CC	Fastrack 10W30 or 10W40 SN
Avenger 220 DTSI	1150 ML	220 CC	Fastrack 10W30 or 10W40 SN



## YAMAHA



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Fazer FI	1000 ML	150 CC	Fastrack 10W40 SN
FZ1	1000 ML	998 CC	Fastrack 10W40 SN
FZ 8	1000 ML	779 CC	Fastrack 10W40 SN
FZ 16	1000 ML	153 CC	Fastrack 10W40 SN
FZ-S	1000 ML	153 CC	Fastrack 10W40 SN
FZ-FI	1000 ML	150 CC	Fastrack 10W40 SN
FZ	1000 ML	150 CC	Fastrack 10W40 SN
FZS FI	1000 ML	156 CC	Fastrack 10W40 SN
Crux	1000 ML	106 CC	Fastrack 10W40 SN
Enticer	1000 ML	125 CC	Fastrack 10W40 SN
Libero	1000 ML	105 CC	Fastrack 10W40 SN
SS 125	1000 ML	125 CC	Fastrack 10W40 SN
SZ-R	1000 ML	153 CC	Fastrack 10W40 SN
SZ-X	1000 ML	153 CC	Fastrack 10W40 SN
Vmax	1000 ML	1679 CC	Fastrack 10W40 SN
YBR 110	1000 ML	110 CC	Fastrack 10W40 SN
YBR 125	1000 ML	125 CC	Fastrack 10W40 SN
YB5	1000 ML	125 CC	Fastrack 10W40 SN
YD 125	1000 ML	125 CC	Fastrack 10W40 SN
YZF R1M	1000 ML	998 CC	Fastrack 10W40 SN
MT 09	1000 ML	850 CC	Fastrack 10W40 SN
YZF R1M	1000 ML	998 CC	Fastrack 10W40 SN
YZF R3	1000 ML	332 CC	Fastrack 10W40 SN
YZF R15	1000 ML	150 CC	Fastrack 10W40 SN
Saluto	1000 ML	125 CC	Fastrack 10W40 SN
Saluto RX	1000 ML	110 CC	Fastrack 10W40 SN
Fascino	800 ML	113 CC	Fastrack 10W30 SN
Alpha	800 ML	113 CC	Fastrack 10W30 SN
Ray Z	800 ML	113 CC	Fastrack 10W30 SN
Ray ZK	800 ML	113 CC	Fastrack 10W30 SN



## ROYAL ENFIELD



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Thunder Bird 350	2500 ML	350 CC	Fastrack 15W50 SN
Thunder Bird 500	2500 ML	500 CC	Fastrack 15W50 SN
Classic 350	2750 ML	350 CC	Fastrack 15W50 SN
Classic 500	2750 ML	500 CC	Fastrack 15W50 SN
Classic Battle Green	2500 ML	500 CC	Fastrack 15W50 SN
Classic Chrome	2500 ML	500 CC	Fastrack 15W50 SN
Classic Desert Storm 500	2500 ML	500 CC	Fastrack 15W50 SN
Bullet Electra Twin Spark	2500 ML	350 CC	Fastrack 15W50 SN
Bullet 350 Twin Spark	2500 ML	350 CC	Fastrack 15W50 SN
Bullet 500	2500 ML	500 CC	Fastrack 15W50 SN
Bullet Electra Deluxe	2500 ML	500 CC	Fastrack 15W50 SN
Bullet Electra EFI	2500 ML	500 CC	Fastrack 15W50 SN
Meteor 350 Fireball	2500 ML	350 CC	Fastrack 15W50 SN
Meteor 350 Stellari	2500 ML	350 CC	Fastrack 15W50 SN
Meteor 350 Supernova	2500 ML	350 CC	Fastrack 15W50 SN



## SUZUKI



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
Suzuki Sling Shot	1000ML	125 CC	Fastrack 10W30 SN
Suzuki Sling Shot +	1000ML	125 CC	Fastrack 10W30 SN
Suzuki Zeus 125E	1000ML	125 CC	Fastrack 10W30 SN
Suzuki Zeus 125X	1000ML	125 CC	Fastrack 10W30 SN
Suzuki Zeus 125D	1000ML	125 CC	Fastrack 10W30 SN
Suzuki Gladius	1000ML	645 CC	Fastrack 10W30 SN
Suzuki GSX R700	1000ML	600 CC	Fastrack 10W30 SN
Suzuki GSX R700	1000ML	750 CC	Fastrack 10W30 SN
Suzuki GSX R1000R	1000ML	999 CC	Fastrack 10W30 SN
Suzuki GSX R1000	1000ML	999 CC	Fastrack 10W30 SN
Suzuki R1000 ABS	1000ML	999 CC	Fastrack 10W30 SN
Suzuki GSX R1000	1000ML	999 CC	Fastrack 10W30 SN
Suzuki GW 250	1000ML	250 CC	Fastrack 10W30 SN
Suzuki Hayabusa	1000ML	1340 CC	Fastrack 10W30 SN
GSX-S1000F ABS	1000ML	999 CC	Fastrack 10W30 SN
Suzuki Access 125	800ML	125CC	Fastrack 10W30 SN
Suzuki Skydiver	800ML	125CC	Fastrack 10W30 SN
GSX-S1000F ABS	1000ML	999 CC	Fastrack 10W30 SN



## HONDA



BIKE MODEL	SUMP SIZE	CC	GYL LUBE RECOMMENDATION
CB Shine	900ML	125 CC	Fastrack 10W30 SN
CB Twister	900ML	109 CC	Fastrack 10W30 SN
CB Unicorn 160	900ML	160 CC	Fastrack 10W30 or 10W40 SN
CB Unicorn 160	900ML	150 CC	Fastrack 10W30 or 10W40 SN
CBF Stunner	900ML	125 CC	Fastrack 10W30 SN
CBR 150R	900ML	150 CC	Fastrack 10W30 or 10W40 SN
CBR 250R	900ML	250 CC	Fastrack 10W30 or 10W40 SN
CB1000R	900ML	999 CC	Fastrack 10W30 or 10W40 SN
CBR1000RR	900ML	999 CC	Fastrack 10W30 or 10W40 SN
CD Hornet	900ML	160 CC	Fastrack 10W30 or 10W40 SN
VFR 1200F	900ML	1200 CC	Fastrack 10W30 or 10W40 SN
Dream Yuga	900ML	109 CC	Fastrack 10W30 SN
Dream Neo	900ML	109 CC	Fastrack 10W30 SN
CB Unicorn Dazzler	900ML	150 CC	Fastrack 10W30 or 10W40 SN
Activa	800ML	110 CC	Fastrack 10W30 SN
Aviator	800ML	110 CC	Fastrack 10W30 SN
DIO	800ML	110 CC	Fastrack 10W30 SN
LIVO	900ML	109 CC	Fastrack 10W30 SN



# CAR RECOMMENDATION CHART

## TATA



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Nano	2.5	Formula Racing SW30
Indica Diesel	5.5	Formula Racing Xtreme SW40
Indica Petrol	4	Formula Racing Xtreme SW40
Indica Vista Petrol	3.6	Formula Racing SW30
Indica Vista Diesel	3.7	Formula Racing Xtreme SW40
Indigo petrol	4	Formula Racing SW30
Indigo diesel	5.5	Performance Max15W40
Indigo Dicor Diesel	5.5	Performance Max15W40
Manza Petrol	3.3	Formula Racing SW30
Manza Diesel	3.3	Formula Racing Xtreme SW40
Safari Dicor	7.5	Mega Performance+ 15W40
Safari Diesel	7.5	Mega Performance+ 15W40
Estate	6.7	Mega Performance+ 15W40
Sumo Grand	7.5	Formula Racing SW30
Sumo Diesel	6.8	Mega Performance+ 15W40
Sumo Turbo	7.7	Mega Performance+ 15W40
Tata Ariz	7.5	Mega Performance+ 15W40
Harrier	5	Formula Racing SW30
Nexon petrol	3.5	Formula Racing SW30
Nexon diesel	5	Formula Racing SW30
Altroz	3.5	Formula Racing SW30
Tiago	3.5	Formula Racing SW30
New Safari	7.5	Formula Racing Xtreme SW40
Tigor petrol	3.5	Formula Racing SW30
Tigor diesel	4	Formula Racing SW30
Zest petrol	4	Formula Racing SW30
Zest diesel	3.2	Formula Racing SW30

## HYUNDAI



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Santro	3.1	Formula Racing SW30
i10	3.1	Formula Racing SW30
Getz	3.3	Formula Racing Xtreme SW40
Getz new	3	Formula Racing SW30
Getz diesel	5.3	Mega Performance+ 15W40
Ascend	3.3	Formula Racing SW30
Verna Petrol	3.3	Formula Racing SW30
i20 petrol	3.6	Formula Racing SW30
i20 diesel	5.3	Formula Racing SW30
Manza	3.9	Formula Racing Xtreme SW40
Sanata (petrol)	4.3	Formula Racing SW30
Sanata (diesel)	4.5	Formula Racing SW30
Ascend (diesel)	5	Formula Racing SW30
Verna CRDi	5.3	Formula Racing SW30
Elantra	5.9	Formula Racing Xtreme SW40
Tuscan CRDi	5.9	Formula Racing SW30
Terracan	7.1	Formula Racing SW30
Aura	3.6	Formula Racing Xtreme DW20
Xcent Prime	3.6	Formula Racing SW30
Creta 1.4 turbo petrol	4.2	Formula Racing Xtreme DW20
Creta petrol	3.8	Formula Racing Xtreme DW20
Creta diesel	4.8	Formula Racing Xtreme SW40
Venue petrol	3.6	Formula Racing Xtreme DW20
Venue diesel	5.3	Formula Racing Xtreme SW40
Grand i10	3.6	Formula Racing Xtreme DW20

## MAHINDRA



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Xylo (CRD)	6	Formula Max All Turbo Power+ 15W40 C14+
Xylo (mEagle)	6	Formula Max All Turbo Power+ 15W40 C14+
Scorpio	6	Formula Max All Turbo Power+ 15W40 C14+
Scorpio (CRD)	6	Formula Max All Turbo Power+ 15W40 C14+
Scorpio (M2Di)	7	Formula Max All Turbo Power+ 15W40 C14+
Bolero	6	Formula Max All Turbo Power+ 15W40 C14+
CBR 150	7	Formula Max All Turbo Power+ 15W40 C14+
CL 150	7	Formula Max All Turbo Power+ 15W40 C14+
Safari	7	Formula Max All Turbo Power+ 15W40 C14+
Elantra	7	Formula Max All Turbo Power+ 15W40 C14+
Maxx pick up	7	Formula Max All Turbo Power+ 15W40 C14+
Bolero pick up	7	Formula Max All Turbo Power+ 15W40 C14+
Max pick up	7	Formula Max All Turbo Power+ 15W40 C14+
Max maxi truck	7	Formula Max All Turbo Power+ 15W40 C14+
Bolero pick up/Max maxi pick up (cng)	7	Formula Max All Turbo Power+ 15W40 C14+
Terracan	6	Formula Max All Turbo Power+ 15W40 C14+
XUV 300 petrol	4	Formula Racing SW30
XUV 300 diesel	6	Formula Racing SW30
XUV 500	6	Formula Max All Turbo Power+ 15W40 C14+
Marazzo	7.5	Formula Max All Turbo Power+ 15W40 C14+
Creta diesel	4	Formula Racing SW30
TUV 300	6	Formula Max All Turbo Power+ 15W40 C14+

## MARUTI



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
K Series all	2.7- 3.3	Formula Racing SW30
Maruti 800	2.7	Formula Racing SW30
Omni/Alto 800	2.7	Formula Racing SW30
Alto/Wagor R	3.7	Formula Racing SW30
Esteem/Zen old	3.3	Formula Racing SW30
Esteem/Zen (diesel)	4.7	Formula Racing SW30
Boleno/Althara	3.3	Formula Racing SW30
Swift (petrol)	3.3	Formula Racing Xtreme DW20
Swift (diesel)	3.1	Formula Racing SW30
Swift Dzire(petrol)	3.3	Formula Racing Xtreme DW20
Swift Dzire(diesel)	3.1	Formula Racing SW30
SX4 (petrol)	4.3	Formula Racing SW30
SX4 (diesel)	3.5	Formula Racing Xtreme SW40
Versa	4.2	Formula Racing Xtreme SW40
Grand Vitara	4.8	Formula Racing SW30
S cross	1.6	Formula Racing Xtreme DW20
Eeco	5.3	Formula Racing Xtreme DW20
Ignis	3.3	Formula Racing SW30
Eriga	3.7	Formula Racing SW30
Celerio	3.3	Formula Racing SW30
S-Presso	3.3	Formula Racing SW30
XL-6	3.7	Formula Racing Xtreme SW40
Ciaz	3.7	Formula Racing SW30

## MERCEDES- BENZ



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
A-Class	6	Formula Racing Xtreme SW40
C-Class	6	Formula Racing Xtreme SW40
E-Class	6	Formula Racing Xtreme SW40
S-Class	9	Formula Racing Xtreme SW40
Maybach S-Class	8	Formula Racing Xtreme SW40
C-Class Cabriolet	6	Formula Racing Xtreme SW40
GLA	6.5	Formula Racing Xtreme SW40
GLC	6.5	Formula Racing Xtreme SW40
GLE	6.5	Formula Racing Xtreme SW40
GLS	6.5	Formula Racing Xtreme SW40
G-Class	6.5	Formula Racing Xtreme SW40
C-Class Coupe	6	Formula Racing Xtreme SW40
CLS Coupe	8	Formula Racing Xtreme SW40
GLC Coupe	6.5	Formula Racing Xtreme SW40
GLE Coupe	6.5	Formula Racing Xtreme SW40
AMG GT Coupe	8	Formula Racing Xtreme SW40
V Class	8	Formula Racing Xtreme SW40
AMG GT 4 Door Coupe	9	Formula Racing Xtreme SW40

## CHEVROLET



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Aveo	3.7	Formula Racing SW30
Astra	3.8	Formula Racing SW30
Spark Petrol	3.8	Formula Racing SW30
Optra Magna diesel	3.8	Formula Racing Xtreme SW40
Optra Magna petrol	3.8	Formula Racing Xtreme SW40
Optra petrol	4	Formula Racing Xtreme SW40
Optra diesel	7	Formula Racing Xtreme SW40
Beat Petrol	3.5	Formula Racing SW30
Beat diesel	3.5	Formula Racing SW30
SRV Petrol	3.8	Formula Racing SW30
Tavera diesel	6	Formula Max All Turbo Power+ 15W40 C14+
Cruze petrol	3.8	Formula Racing Xtreme SW40
Captiva petrol	6.2	Formula Racing Xtreme SW40

## TOYOTA



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Corolla	4	Formula Racing Xtreme SW40
Camry (ACV 30)	4	Formula Racing Xtreme SW40
Camry (ACV 40)	4.2	Formula Racing Xtreme SW40
Qualis petrol	4	Formula Racing SW30
Qualis diesel	4.5	Formula Racing SW30
Innova petrol	6.5	Formula Racing Xtreme SW40
Innova diesel	6.8	Formula Racing Xtreme SW40
Prado	6.9	Formula Racing Xtreme SW40
Fortuner	6.9	Formula Racing Xtreme SW40
Glanza	3.5	Formula Racing SW30
Yaris	3.4	Formula Racing SW30
Urban Cruiser	4.4	Formula Racing SW30

## RENAULT



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Duster diesel	4.5	Formula Racing Xtreme SW40
Duster petrol	4.5	Formula Racing Xtreme SW40
Fluence diesel	4.5	Formula Racing Xtreme SW40
Qualis petrol	4.5	Formula Racing SW30
Pulse diesel	4.5	Formula Racing Xtreme SW40
Pulse petrol	3	Formula Racing Xtreme SW40
Scala diesel	4.5	Formula Racing Xtreme SW40
Kwid	2.5	Formula Racing SW30
Triber	4.5	Formula Racing SW30

## BMW



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
3 series	5.2	Formula Racing Xtreme SW40
X3	5.2	Formula Racing Xtreme SW40
5 Series	6.5	Formula Racing Xtreme SW40
8D	7.7	Formula Racing Xtreme SW40
6 Series	7.2	Formula Racing Xtreme SW40
X6	7.2	Formula Racing Xtreme SW40
7 series	7.2	Formula Racing Xtreme SW40
M series	7.2	Formula Racing Xtreme SW40

## AUDI



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
A4 old models	4.5	Formula Racing Xtreme SW40
A4 new models	5	Formula Racing Xtreme SW40
Tt	4.5	Formula Racing Xtreme SW40
A6	6.5	Formula Racing Xtreme SW40
A8	8.5	Formula Racing Xtreme SW40
R8	8.5	Formula Racing Xtreme SW40
Q7	8.5	Formula Racing Xtreme SW40
Fabio	4	Formula Racing Xtreme SW40

## FORD



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Figo petrol	4.1	Formula Racing SW30
Figo Diesel	3.9	Formula Racing SW30
Fiesta Petrol	4.5	Formula Racing Xtreme SW40
Fiesta Diesel	4	Formula Racing Xtreme SW40
EcoSport petrol	4	Formula Racing SW30
EcoSport diesel	4	Formula Racing SW30
Endeavour petrol	6.6	Formula Racing Xtreme SW40
Freestyle petrol	4.8	Formula Racing SW30
Freestyle Diesel	3.8	Formula Racing SW30
Aspire petrol	3.6	Formula Racing SW30
Aspire diesel	4.1	Formula Racing SW30

## HONDA



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
City Petrol	3.6	Formula Racing SW30
Civic	4.5	Formula Racing Xtreme SW40
Accord	4.5	Formula Racing Xtreme SW40
CRV	4.5	Formula Racing Xtreme SW40
Brio petrol	3.5	Formula Racing SW30
Amaze diesel	4.5	Formula Racing SW30
Amaze petrol	3.6	Formula Racing SW30
Jazz petrol	3.7	Formula Racing SW30
City diesel	3.6	Formula Racing SW30

## NISSAN



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Sunny petrol	3	Formula Racing Xtreme SW40
Teana petrol	5.8	Formula Racing Xtreme SW40
X-Trail diesel	7.4	Formula Racing Xtreme SW40
Micra diesel	3	Formula Racing SW30
Micra petrol	3	Formula Racing SW30
Sunny diesel	4.5	Formula Racing Xtreme SW40
Magnite	4.5	Formula Racing SW30
Jazz petrol	4.5	Formula Racing SW30
Kicks	4.5	Formula Racing SW30

## VOLKSWAGEN



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Polo	3.7	Formula Racing Xtreme SW40
Beetle	4.5	Formula Racing Xtreme SW40
Vento	3.7	Formula Racing Xtreme SW40
Jetta	4.5	Formula Racing Xtreme SW40
Passat	4.5	Formula Racing Xtreme SW40
Phaeton	7.5	Formula Racing Xtreme SW40
Touareg	7.5	Formula Racing Xtreme SW40

## FIAT



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Punto petrol	3.2	Formula Racing Xtreme SW40
Linea diesel	3.2	Formula Racing Xtreme SW40
Linea petrol	3.2	Formula Racing Xtreme SW40
Punto diesel	3.2	Formula Racing Xtreme SW40

## SKODA



CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
Octavia	4.5	Formula Racing Xtreme SW40
Superb	4	Formula Racing Xtreme SW40

## VOLVO






CAR MODEL	SUMP SIZE LTR	GYL LUBE RECOMMENDATION
S80	5	Formula Racing Xtreme DW20
XC60	6	Formula Racing Xtreme DW20
XC90	6	Formula Racing Xtreme DW20



## Assurance Intl Limited

#A-06, Infocity-1, Sector 34, Gurugram, India 122002

-  [www.goodyearlubricants.in](http://www.goodyearlubricants.in)
-  E-mail : [info@goodyearlubricants.in](mailto:info@goodyearlubricants.in)
-  Toll Free No. : 1800 123 9088

Goodyear (and Winged Foot Design) and Blimp Design are trademarks of The Goodyear Tire & Rubber Company used under license by Assurance Intl Limited, India. Copyright 2023 The Goodyear Tire & Rubber Company.